APPENDIX III. 2001 FSIS NATIONAL RESIDUE DOMESTIC MONITORING PLAN AND SPECIAL PROJECTS PROGRAM DATA IN A COMPOUND-SPECIFIC FORMAT

The data presented in the Appendix III are the same as that presented in Appendix II, though in a different format. In Appendix II, the results are tabulated according to production class. Following requests from risk assessors, FSIS has provided residue data in a format more amenable to exposure assessment. The data in Appendix III, Tables AIII-1 to AIII-71, are tabulated by compound (from aldrin to zeranol) instead of by production class.

Table AIII-1
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Aldrin

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-2
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: BHC

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horsess	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-3
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Chlordane

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horsess	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	290	1	0	1	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	217	0	1	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-4
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Dieldrin

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	232	4	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	291	6	0	0	0	0	0	0	0
Steers	Fat	479	0	0	476	3	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	452	3	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	486	1	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	449	3	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	262	1	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	110	4	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	184	3	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	234	6	1	0	0	0	0	0	0
Lambs	Fat	340	0	0	339	1	0	0	0	0	0	0	0
Goats	Fat	292	0	0	291	1	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	217	1	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	470	1	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	68	2	0	0	0	0	0	0	0

Table AIII-5
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: DDT

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	219	7	3	4	0	1	2	0	0
Bulls	Fat	297	0	0	262	22	7	4	2	0	0	0	0
Steers	Fat	479	0	0	461	11	2	3	1	1	0	0	0
Beef Cows	Fat	455	0	0	422	20	9	3	1	0	0	0	0
Heifers	Fat	487	0	0	477	4	1	3	1	1	0	0	0
Dairy Cows	Fat	452	0	0	396	23	13	8	6	5	1	0	0
Bob Veal	Fat	263	0	0	234	25	3	0	1	0	0	0	0
Formula-fed Veal	Fat	324	0	0	323	1	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	104	6	2	0	0	1	1	0	0
Heavy Calves	Fat	187	0	0	146	15	9	2	7	7	1	0	0
Mature Sheep	Fat	241	0	0	222	6	7	3	1	2	0	0	0
Lambs	Fat	340	0	0	301	23	10	5	0	1	0	0	0
Goats	Fat	292	0	0	268	15	7	1	0	1	0	0	0
Market Hogs	Fat	436	0	0	434	2	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	204	7	2	1	2	0	2	0	0
Sows	Fat	282	0	0	279	2	1	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	296	0	0	0	1	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	196	0	1	0	0	0	0	0	0
Ducks	Fat	251	0	0	248	3	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	32	0	1	0	0	0	0	0	0
Ratites	Fat	90	0	0	64	8	6	2	4	4	0	2	0
Rabbits	Fat	70	0	0	68	2	0	0	0	0	0	0	0

Table AIII-6
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Endrin

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-7
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Heptachlor

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	235	1	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	295	2	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	451	1	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	323	1	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	113	1	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	235	6	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	89	1	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-8
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Lindane

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	451	0	0	1	0	0	0	0	0
Bob Veal	Fat	263	0	0	261	2	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	186	0	0	0	0	1	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	290	1	0	0	0	1	0	0	0
Market Hogs	Fat	436	0	0	435	1	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	217	1	0	0	0	0	0	0	0
Sows	Fat	282	0	0	278	4	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	44	1	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	470	1	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-9
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Methoxychlor

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	235	0	0	1	0	0	0	0	0
Bulls	Fat	297	0	0	295	0	0	1	1	0	0	0	0
Steers	Fat	479	0	0	478	0	0	0	0	1	0	0	0
Beef Cows	Fat	455	0	0	452	0	1	1	1	0	0	0	0
Heifers	Fat	487	0	0	486	0	0	1	0	0	0	0	0
Dairy Cows	Fat	452	0	0	450	0	1	0	1	0	0	0	0
Bob Veal	Fat	263	0	0	259	0	0	1	3	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	239	0	0	1	0	0	1	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	291	0	0	0	0	1	0	0	0
Market Hogs	Fat	436	0	0	435	0	0	1	0	0	0	0	0
Boars/Stags	Fat	218	0	0	213	0	1	2	2	0	0	0	0
Sows	Fat	282	0	0	279	0	1	1	0	1	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	421	0	2	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	295	0	2	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	470	0	0	1	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	196	0	1	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-10
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Toxaphene

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-11
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: PCB

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	235	0	0	0	0	1	0	0	0
Bulls	Fat	297	0	0	296	0	0	0	0	1	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	113	0	1	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	435	0	0	0	1	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	296	0	0	0	0	1	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-12
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: HCB

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	296	1	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	454	1	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	486	1	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	262	1	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	113	1	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	239	2	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	291	1	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	216	2	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	89	1	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	69	1	0	0	0	0	0	0	0

Table AIII-13
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Mirex

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-14
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Strobane

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-15
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Nonachlor

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-16
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Endosulfan I

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	454	1	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-17
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Linuron

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-18
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Phosalone

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-19
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Dicofol

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-20
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Pentachloroaniline

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-21
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Heptachlor Epoxide

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-22
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: PBB

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	1	0	486	0	1	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-23
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Coumaphos

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-24
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Ethion

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-25
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Parathion

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-26
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Ronnel

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-27
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Stirofos

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-28
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Chlorpyrifos

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	281	0	1	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-29
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Famphur

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-30
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Carbophenothion

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-31
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Chlorfenvinphos

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0	236	0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-32
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Penicillin

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Kidney	392	4	0	388	3	0	0	0	1	0	0	0
Bulls	Kidney	231	0	0	231	0	0	0	0	0	0	0	0
Steers	Kidney	470	0	0	470	0	0	0	0	0	0	0	0
Beef Cows	Kidney	294	0	0	294	0	0	0	0	0	0	0	0
Heifers	Kidney	508	1	0	507	1	0	0	0	0	0	0	0
Dairy Cows	Kidney	699	1	0	698	0	0	0	0	1	0	0	0
Bob Veal	Kidney	400	0	0	400	0	0	0	0	0	0	0	0
Formula-fed Veal	Kidney	724	0	0	724	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Kidney	106	0	0	106	0	0	0	0	0	0	0	0
Heavy Calves	Kidney	139	0	0	139	0	0	0	0	0	0	0	0
Mature Sheep	Kidney	118	0	0	118	0	0	0	0	0	0	0	0
Lambs	Kidney	344	0	0	344	0	0	0	0	0	0	0	0
Goats	Kidney	216	0	0	216	0	0	0	0	0	0	0	0
Market Hogs	Kidney	672	0	0	672	0	0	0	0	0	0	0	0
Boars/Stags	Kidney	153	0	0	153	0	0	0	0	0	0	0	0
Roaster Pigs	Kidney	112	0	0	112	0	0	0	0	0	0	0	0
Sows	Kidney	296	4	0	292	1	1	0	1	1	0	0	0
Bisons	Kidney	40	0	0	40	0	0	0	0	0	0	0	0
Young Chickens	Kidney	506	0	0	506	0	0	0	0	0	0	0	0
Mature Chickens	Kidney	227	0	0	227	0	0	0	0	0	0	0	0
Young Turkeys	Kidney	477	0	0	477	0	0	0	0	0	0	0	0
Mature Turkeys	Kidney	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Kidney	238	0	0	238	0	0	0	0	0	0	0	0
Squabs	Kidney	27	0	0	27	0	0	0	0	0	0	0	0
Ratites	Kidney	91	0	0	91	0	0	0	0	0	0	0	0
Rabbits	Kidney	189	1	0	188	1	0	0	0	0	0	0	0

Table AIII-33
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Streptomycin

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Kidney	392	0	0	392	0	0	0	0	0	0	0	0
Bulls	Kidney	231	0	0	231	0	0	0	0	0	0	0	0
Steers	Kidney	470	0	0	470	0	0	0	0	0	0	0	0
Beef Cows	Kidney	294	0	0	294	0	0	0	0	0	0	0	0
Heifers	Kidney	508	0	0	508	0	0	0	0	0	0	0	0
Dairy Cows	Kidney	699	0	0	699	0	0	0	0	0	0	0	0
Bob Veal	Kidney	400	0	0	400	0	0	0	0	0	0	0	0
Formula-fed Veal	Kidney	724	0	0	724	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Kidney	106	0	0	106	0	0	0	0	0	0	0	0
Heavy Calves	Kidney	139	0	0	139	0	0	0	0	0	0	0	0
Mature Sheep	Kidney	118	0	0	118	0	0	0	0	0	0	0	0
Lambs	Kidney	344	0	0	344	0	0	0	0	0	0	0	0
Goats	Kidney	216	0	0	216	0	0	0	0	0	0	0	0
Market Hogs	Kidney	672	0	0	672	0	0	0	0	0	0	0	0
Boars/Stags	Kidney	153	0	0	153	0	0	0	0	0	0	0	0
Sows	Kidney	296	0	0	294	0	0	0	0	1	1	0	0
Roaster Pigs	Kidney	112	0	0	112	0	0	0	0	0	0	0	0
Bisons	Kidney	40	0	0	40	0	0	0	0	0	0	0	0
Young Chickens	Kidney	506	0	0	506	0	0	0	0	0	0	0	0
Mature Chickens	Kidney	227	0	0	227	0	0	0	0	0	0	0	0
Young Turkeys	Kidney	477	0	0	477	0	0	0	0	0	0	0	0
Mature Turkeys	Kidney	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Kidney	238	0	0	238	0	0	0	0	0	0	0	0
Squabs	Kidney	27	0	0	27	0	0	0	0	0	0	0	0
Ratites	Kidney	91	0	0	91	0	0	0	0	0	0	0	0
Rabbits	Kidney	189	0	0	189	0	0	0	0	0	0	0	0

Table AIII-34
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Tetracycline

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Kidney	392	0	0	392	0	0	0	0	0	0	0	0
Bulls	Kidney	231	0	0	231	0	0	0	0	0	0	0	0
Steers	Kidney	470	0	0	470	0	0	0	0	0	0	0	0
Beef Cows	Kidney	294	0	0	294	0	0	0	0	0	0	0	0
Heifers	Kidney	508	0	0	508	0	0	0	0	0	0	0	0
Dairy Cows	Kidney	699	0	0	699	0	0	0	0	0	0	0	0
Bob Veal	Kidney	400	0	0	400	0	0	0	0	0	0	0	0
Formula-fed Veal	Kidney	724	0	0	724	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Kidney	106	0	0	106	0	0	0	0	0	0	0	0
Heavy Calves	Kidney	139	0	0	139	0	0	0	0	0	0	0	0
Mature Sheep	Kidney	118	0	0	118	0	0	0	0	0	0	0	0
Lambs	Kidney	344	0	0	344	0	0	0	0	0	0	0	0
Goats	Kidney	216	0	0	216	0	0	0	0	0	0	0	0
Market Hogs	Kidney	672	0	0	672	0	0	0	0	0	0	0	0
Boars/Stags	Kidney	153	0	0	153	0	0	0	0	0	0	0	0
Sows	Kidney	296	0	0	296	0	0	0	0	0	0	0	0
Roaster Pigs	Kidney	112	0	0	112	0	0	0	0	0	0	0	0
Bisons	Kidney	40	0	0	40	0	0	0	0	0	0	0	0
Young Chickens	Kidney	506	0	0	506	0	0	0	0	0	0	0	0
Mature Chickens	Kidney	227	0	0	227	0	0	0	0	0	0	0	0
Young Turkeys	Kidney	477	0	0	477	0	0	0	0	0	0	0	0
Mature Turkeys	Kidney	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Kidney	238	0	0	238	0	0	0	0	0	0	0	0
Squabs	Kidney	27	0	0	27	0	0	0	0	0	0	0	0
Ratites	Kidney	91	0	0	91	0	0	0	0	0	0	0	0
Rabbits	Kidney	189	0	0	189	0	0	0	0	0	0	0	0

Table AIII-35
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Tylosin

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Kidney	392	0	0	392	0	0	0	0	0	0	0	0
Bulls	Kidney	231	0	0	231	0	0	0	0	0	0	0	0
Steers	Kidney	470	0	0	470	0	0	0	0	0	0	0	0
Beef Cows	Kidney	294	0	0	294	0	0	0	0	0	0	0	0
Heifers	Kidney	508	0	0	508	0	0	0	0	0	0	0	0
Dairy Cows	Kidney	699	0	0	699	0	0	0	0	0	0	0	0
Bob Veal	Kidney	400	0	0	400	0	0	0	0	0	0	0	0
Formula-fed Veal	Kidney	724	0	0	724	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Kidney	106	0	0	106	0	0	0	0	0	0	0	0
Heavy Calves	Kidney	139	0	0	139	0	0	0	0	0	0	0	0
Mature Sheep	Kidney	118	0	0	118	0	0	0	0	0	0	0	0
Lambs	Kidney	344	0	0	344	0	0	0	0	0	0	0	0
Goats	Kidney	216	0	0	216	0	0	0	0	0	0	0	0
Market Hogs	Kidney	672	0	0	672	0	0	0	0	0	0	0	0
Boars/Stags	Kidney	153	0	0	153	0	0	0	0	0	0	0	0
Sows	Kidney	296	0	0	296	0	0	0	0	0	0	0	0
Roaster Pigs	Kidney	112	0	0	112	0	0	0	0	0	0	0	0
Bisons	Kidney	40	0	0	40	0	0	0	0	0	0	0	0
Young Chickens	Kidney	506	0	0	506	0	0	0	0	0	0	0	0
Mature Chickens	Kidney	227	0	0	227	0	0	0	0	0	0	0	0
Young Turkeys	Kidney	477	0	0	477	0	0	0	0	0	0	0	0
Mature Turkeys	Kidney	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Kidney	238	0	0	238	0	0	0	0	0	0	0	0
Squabs	Kidney	27	0	0	27	0	0	0	0	0	0	0	0
Ratites	Kidney	91	0	0	91	0	0	0	0	0	0	0	0
Rabbits	Kidney	189	0	0	189	0	0	0	0	0	0	0	0

Table AIII-36
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Erythromycin

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Kidney	392	0	0	392	0	0	0	0	0	0	0	0
Bulls	Kidney	231	0	0	231	0	0	0	0	0	0	0	0
Steers	Kidney	470	0	0	470	0	0	0	0	0	0	0	0
Beef Cows	Kidney	294	0	0	294	0	0	0	0	0	0	0	0
Heifers	Kidney	508	0	0	508	0	0	0	0	0	0	0	0
Dairy Cows	Kidney	699	0	0	699	0	0	0	0	0	0	0	0
Bob Veal	Kidney	400	0	0	400	0	0	0	0	0	0	0	0
Formula-fed Veal	Kidney	724	0	0	724	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Kidney	106	0	0	106	0	0	0	0	0	0	0	0
Heavy Calves	Kidney	139	0	0	139	0	0	0	0	0	0	0	0
Mature Sheep	Kidney	118	0	0	118	0	0	0	0	0	0	0	0
Lambs	Kidney	344	0	0	344	0	0	0	0	0	0	0	0
Goats	Kidney	216	0	0	216	0	0	0	0	0	0	0	0
Market Hogs	Kidney	672	0	0	672	0	0	0	0	0	0	0	0
Boars/Stags	Kidney	153	0	0	153	0	0	0	0	0	0	0	0
Sows	Kidney	296	0	0	296	0	0	0	0	0	0	0	0
Roaster Pigs	Kidney	112	0	0	112	0	0	0	0	0	0	0	0
Bisons	Kidney	40	0	0	40	0	0	0	0	0	0	0	0
Young Chickens	Kidney	506	0	0	506	0	0	0	0	0	0	0	0
Mature Chickens	Kidney	227	0	0	227	0	0	0	0	0	0	0	0
Young Turkeys	Kidney	477	0	0	477	0	0	0	0	0	0	0	0
Mature Turkeys	Kidney	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Kidney	238	0	0	238	0	0	0	0	0	0	0	0
Squabs	Kidney	27	0	0	27	0	0	0	0	0	0	0	0
Ratites	Kidney	91	0	0	91	0	0	0	0	0	0	0	0
Rabbits	Kidney	189	0	0	189	0	0	0	0	0	0	0	0

Table AIII-37
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Neomycin

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Kidney	392	0	0	392	0	0	0	0	0	0	0	0
Bulls	Kidney	231	0	0	231	0	0	0	0	0	0	0	0
Steers	Kidney	470	0	0	470	0	0	0	0	0	0	0	0
Beef Cows	Kidney	294	1	0	293	0	0	0	0	0	0	0	1
Heifers	Kidney	508	0	0	508	0	0	0	0	0	0	0	0
Dairy Cows	Kidney	699	0	0	699	0	0	0	0	0	0	0	0
Bob Veal	Kidney	400	11	4	379	0	0	0	0	0	5	1	15
Formula-fed Veal	Kidney	724	0	0	723	0	0	0	0	0	0	1	0
Non-formula-fed Veal	Kidney	106	1	0	105	0	0	0	0	0	0	0	1
Heavy Calves	Kidney	139	0	0	139	0	0	0	0	0	0	0	0
Mature Sheep	Kidney	118	0	0	118	0	0	0	0	0	0	0	0
Lambs	Kidney	344	0	0	344	0	0	0	0	0	0	0	0
Goats	Kidney	216	0	0	216	0	0	0	0	0	0	0	0
Market Hogs	Kidney	672	0	0	672	0	0	0	0	0	0	0	0
Boars/Stags	Kidney	153	0	0	153	0	0	0	0	0	0	0	0
Sows	Kidney	296	0	0	296	0	0	0	0	0	0	0	0
Roaster Pigs	Kidney	112	0	0	112	0	0	0	0	0	0	0	0
Bisons	Kidney	40	0	0	40	0	0	0	0	0	0	0	0
Young Chickens	Kidney	506	0	0	506	0	0	0	0	0	0	0	0
Mature Chickens	Kidney	227	0	0	227	0	0	0	0	0	0	0	0
Young Turkeys	Kidney	477	0	0	477	0	0	0	0	0	0	0	0
Mature Turkeys	Kidney	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Kidney	238	0	0	238	0	0	0	0	0	0	0	0
Squabs	Kidney	27	0	0	27	0	0	0	0	0	0	0	0
Ratites	Kidney	91	0	0	91	0	0	0	0	0	0	0	0
Rabbits	Kidney	189	0	0	189	0	0	0	0	0	0	0	0

Table AIII-38
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Oxytetracycline

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Kidney	392	0	0	392	0	0	0	0	0	0	0	0
Bulls	Kidney	231	0	0	231	0	0	0	0	0	0	0	0
Steers	Kidney	470	0	0	470	0	0	0	0	0	0	0	0
Beef Cows	Kidney	294	0	0	294	0	0	0	0	0	0	0	0
Heifers	Kidney	508	0	0	508	0	0	0	0	0	0	0	0
Dairy Cows	Kidney	699	1	0	698	0	0	0	0	0	0	0	1
Bob Veal	Kidney	400	0	0	400	0	0	0	0	0	0	0	0
Formula-fed Veal	Kidney	724	0	0	724	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Kidney	106	0	0	106	0	0	0	0	0	0	0	0
Heavy Calves	Kidney	139	0	0	139	0	0	0	0	0	0	0	0
Mature Sheep	Kidney	118	0	0	118	0	0	0	0	0	0	0	0
Lambs	Kidney	344	0	0	344	0	0	0	0	0	0	0	0
Goats	Kidney	216	0	0	216	0	0	0	0	0	0	0	0
Market Hogs	Kidney	672	0	0	672	0	0	0	0	0	0	0	0
Boars/Stags	Kidney	153	0	0	153	0	0	0	0	0	0	0	0
Sows	Kidney	296	0	0	296	0	0	0	0	0	0	0	0
Roaster Pigs	Kidney	112	0	0	112	0	0	0	0	0	0	0	0
Bisons	Kidney	40	0	0	40	0	0	0	0	0	0	0	0
Young Chickens	Kidney	506	0	0	506	0	0	0	0	0	0	0	0
Mature Chickens	Kidney	227	0	0	227	0	0	0	0	0	0	0	0
Young Turkeys	Kidney	477	0	0	477	0	0	0	0	0	0	0	0
Mature Turkeys	Kidney	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Kidney	238	0	0	238	0	0	0	0	0	0	0	0
Squabs	Kidney	27	0	0	27	0	0	0	0	0	0	0	0
Ratites	Kidney	91	0	0	91	0	0	0	0	0	0	0	0
Rabbits	Kidney	189	0	0	189	0	0	0	0	0	0	0	0

Table AIII-39
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Chlortetracycline

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Kidney	392	0	0	392	0	0	0	0	0	0	0	0
Bulls	Kidney	231	0	0	231	0	0	0	0	0	0	0	0
Steers	Kidney	470	0	0	470	0	0	0	0	0	0	0	0
Beef Cows	Kidney	294	0	0	294	0	0	0	0	0	0	0	0
Heifers	Kidney	508	0	0	508	0	0	0	0	0	0	0	0
Dairy Cows	Kidney	699	0	0	699	0	0	0	0	0	0	0	0
Bob Veal	Kidney	400	0	0	399	0	0	0	0	0	0	0	1
Formula-fed Veal	Kidney	724	0	0	723	0	0	0	0	0	0	1	0
Non-formula-fed Veal	Kidney	106	0	0	106	0	0	0	0	0	0	0	0
Heavy Calves	Kidney	139	0	0	139	0	0	0	0	0	0	0	0
Mature Sheep	Kidney	118	0	0	118	0	0	0	0	0	0	0	0
Lambs	Kidney	344	0	0	344	0	0	0	0	0	0	0	0
Goats	Kidney	216	0	0	216	0	0	0	0	0	0	0	0
Market Hogs	Kidney	672	0	0	671	0	0	0	0	1	0	0	0
Boars/Stags	Kidney	153	0	0	153	0	0	0	0	0	0	0	0
Sows	Kidney	296	0	0	296	0	0	0	0	0	0	0	0
Roaster Pigs	Kidney	112	0	0	109	0	0	0	0	1	2	0	0
Bisons	Kidney	40	0	0	40	0	0	0	0	0	0	0	0
Young Chickens	Kidney	506	0	0	505	0	0	0	1	0	0	0	0
Mature Chickens	Kidney	227	0	0	227	0	0	0	0	0	0	0	0
Young Turkeys	Kidney	477	0	0	476	0	0	0	0	1	0	0	0
Mature Turkeys	Kidney	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Kidney	238	0	0	238	0	0	0	0	0	0	0	0
Squabs	Kidney	27	0	0	27	0	0	0	0	0	0	0	0
Ratites	Kidney	91	0	0	91	0	0	0	0	0	0	0	0
Rabbits	Kidney	189	0	0	189	0	0	0	0	0	0	0	0

Table AIII-40
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Gentamycin

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Kidney	392	1	0	391	0	0	0	0	0	0	0	1
Bulls	Kidney	231	0	0	231	0	0	0	0	0	0	0	0
Steers	Kidney	470	0	0	470	0	0	0	0	0	0	0	0
Beef Cows	Kidney	294	0	0	294	0	0	0	0	0	0	0	0
Heifers	Kidney	508	0	0	508	0	0	0	0	0	0	0	0
Dairy Cows	Kidney	699	3	0	696	0	0	0	0	0	2	1	0
Bob Veal	Kidney	400	0	0	400	0	0	0	0	0	0	0	0
Formula-fed Veal	Kidney	724	1	0	723	0	0	0	0	1	0	0	0
Non-formula-fed Veal	Kidney	106	0	0	106	0	0	0	0	0	0	0	0
Heavy Calves	Kidney	139	0	0	139	0	0	0	0	0	0	0	0
Mature Sheep	Kidney	118	0	0	118	0	0	0	0	0	0	0	0
Lambs	Kidney	344	0	0	344	0	0	0	0	0	0	0	0
Goats	Kidney	216	0	0	216	0	0	0	0	0	0	0	0
Market Hogs	Kidney	672	0	0	672	0	0	0	0	0	0	0	0
Boars/Stags	Kidney	153	0	0	153	0	0	0	0	0	0	0	0
Sows	Kidney	296	0	0	296	0	0	0	0	0	0	0	0
Roaster Pigs	Kidney	112	0	0	112	0	0	0	0	0	0	0	0
Bisons	Kidney	40	0	0	40	0	0	0	0	0	0	0	0
Young Chickens	Kidney	506	0	0	506	0	0	0	0	0	0	0	0
Mature Chickens	Kidney	227	0	0	227	0	0	0	0	0	0	0	0
Young Turkeys	Kidney	477	0	0	477	0	0	0	0	0	0	0	0
Mature Turkeys	Kidney	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Kidney	238	0	0	238	0	0	0	0	0	0	0	0
Squabs	Kidney	27	0	0	27	0	0	0	0	0	0	0	0
Ratites	Kidney	91	0	0	91	0	0	0	0	0	0	0	0
Rabbits	Kidney	189	0	0	189	0	0	0	0	0	0	0	0

Table AIII-41
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Lincomycin

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Kidney	392	0	0	392	0	0	0	0	0	0	0	0
Bulls	Kidney	231	0	0	231	0	0	0	0	0	0	0	0
Steers	Kidney	470	0	0	470	0	0	0	0	0	0	0	0
Beef Cows	Kidney	294	0	0	294	0	0	0	0	0	0	0	0
Heifers	Kidney	508	0	0	508	0	0	0	0	0	0	0	0
Dairy Cows	Kidney	699	0	0	699	0	0	0	0	0	0	0	0
Bob Veal	Kidney	400	0	0	400	0	0	0	0	0	0	0	0
Formula-fed Veal	Kidney	724	0	0	724	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Kidney	106	0	0	106	0	0	0	0	0	0	0	0
Heavy Calves	Kidney	139	0	0	139	0	0	0	0	0	0	0	0
Mature Sheep	Kidney	118	0	0	118	0	0	0	0	0	0	0	0
Lambs	Kidney	344	0	0	344	0	0	0	0	0	0	0	0
Goats	Kidney	216	0	0	216	0	0	0	0	0	0	0	0
Market Hogs	Kidney	672	0	0	672	0	0	0	0	0	0	0	0
Boars/Stags	Kidney	153	0	0	153	0	0	0	0	0	0	0	0
Sows	Kidney	296	0	0	296	0	0	0	0	0	0	0	0
Roaster Pigs	Kidney	112	0	0	112	0	0	0	0	0	0	0	0
Bisons	Kidney	40	0	0	40	0	0	0	0	0	0	0	0
Young Chickens	Kidney	506	0	0	506	0	0	0	0	0	0	0	0
Mature Chickens	Kidney	227	0	0	227	0	0	0	0	0	0	0	0
Young Turkeys	Kidney	477	0	0	477	0	0	0	0	0	0	0	0
Mature Turkeys	Kidney	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Kidney	238	0	0	238	0	0	0	0	0	0	0	0
Squabs	Kidney	27	0	0	27	0	0	0	0	0	0	0	0
Ratites	Kidney	91	0	0	91	0	0	0	0	0	0	0	0
Rabbits	Kidney	189	0	0	189	0	0	0	0	0	0	0	0

Table AIII-42
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Tilmicosin

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Kidney	392	0	0	392	0	0	0	0	0	0	0	0
Bulls	Kidney	231	0	0	231	0	0	0	0	0	0	0	0
Steers	Kidney	470	0	0	470	0	0	0	0	0	0	0	0
Beef Cows	Kidney	294	0	0	294	0	0	0	0	0	0	0	0
Heifers	Kidney	508	0	0	508	0	0	0	0	0	0	0	0
Dairy Cows	Kidney	699	0	0	699	0	0	0	0	0	0	0	0
Bob Veal	Kidney	400	0	0	400	0	0	0	0	0	0	0	0
Formula-fed Veal	Kidney	724	0	0	724	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Kidney	106	0	0	106	0	0	0	0	0	0	0	0
Heavy Calves	Kidney	139	0	0	139	0	0	0	0	0	0	0	0
Mature Sheep	Kidney	118	0	0	118	0	0	0	0	0	0	0	0
Lambs	Kidney	344	0	0	344	0	0	0	0	0	0	0	0
Goats	Kidney	216	0	0	216	0	0	0	0	0	0	0	0
Market Hogs	Kidney	672	0	0	672	0	0	0	0	0	0	0	0
Boars/Stags	Kidney	153	0	0	153	0	0	0	0	0	0	0	0
Sows	Kidney	296	0	0	296	0	0	0	0	0	0	0	0
Roaster Pigs	Kidney	112	0	0	112	0	0	0	0	0	0	0	0
Bisons	Kidney	40	0	0	40	0	0	0	0	0	0	0	0
Young Chickens	Kidney	506	0	0	506	0	0	0	0	0	0	0	0
Mature Chickens	Kidney	227	0	0	227	0	0	0	0	0	0	0	0
Young Turkeys	Kidney	477	0	0	477	0	0	0	0	0	0	0	0
Mature Turkeys	Kidney	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Kidney	238	0	0	238	0	0	0	0	0	0	0	0
Squabs	Kidney	27	0	0	27	0	0	0	0	0	0	0	0
Ratites	Kidney	91	0	0	91	0	0	0	0	0	0	0	0
Rabbits	Kidney	189	0	0	189	0	0	0	0	0	0	0	0

Table AIII-43
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

FLUOROQUINOLONES

Residue: Enrofloxacin

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Dairy Cows	Liver	461	0	0	461	0	0	0	0	0	0	0	0
Young Chickens	Muscle	216	0	0	216	0	0	0	0	0	0	0	0

Residue: Desethylene Ciprofloxacin

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Dairy Cows	Liver	461	0	0	461	0	0	0	0	0	0	0	0
Young Chickens	Muscle	216	0	0	216	0	0	0	0	0	0	0	0

Residue: Ciprofoxacin

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Dairy Cows	Liver	461	0	0	461	0	0	0	0	0	0	0	0
Young Chickens	Muscle	216	0	0	216	0	0	0	0	0	0	0	0

Residue: Sarafloxacin

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Dairy Cows	Liver	461	0	0	461	0	0	0	0	0	0	0	0
Young Chickens	Muscle	216	0	0	216	0	0	0	0	0	0	0	0

Residue: Difloxacin

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Dairy Cows	Liver	461	0	0	461	0	0	0	0	0	0	0	0
Young Chickens	Muscle	216	0	0	216	0	0	0	0	0	0	0	0

Residue: Danofloxacin

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Dairy Cows	Liver	461	0	0	461	0	0	0	0	0	0	0	0
Young Chickens	Muscle	216	0	0	216	0	0	0	0	0	0	0	0

Table AIII-44
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Tetracyclines Recovered

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Kidney	392	0	0	392	0	0	0	0	0	0	0	0
Bulls	Kidney	231	0	0	231	0	0	0	0	0	0	0	0
Steers	Kidney	470	0	0	470	0	0	0	0	0	0	0	0
Beef Cows	Kidney	294	0	0	294	0	0	0	0	0	0	0	0
Heifers	Kidney	508	0	0	507	0	0	0	0	1	0	0	0
Dairy Cows	Kidney	699	0	0	699	0	0	0	0	0	0	0	0
Bob Veal	Kidney	399	0	0	395	0	0	0	0	4	0	0	0
Formula-fed Veal	Kidney	724	0	0	684	0	0	0	0	40	0	0	0
Non-formula-fed Veal	Kidney	106	0	0	105	0	0	0	0	1	0	0	0
Heavy Calves	Kidney	139	0	0	139	0	0	0	0	0	0	0	0
Mature Sheep	Kidney	118	0	0	118	0	0	0	0	0	0	0	0
Lambs	Kidney	344	0	0	341	0	0	0	0	3	0	0	0
Goats	Kidney	216	0	0	216	0	0	0	0	0	0	0	0
Market Hogs	Kidney	672	0	0	661	0	0	0	0	11	0	0	0
Boars/Stags	Kidney	153	0	0	151	0	0	0	0	2	0	0	0
Sows	Kidney	296	0	0	296	0	0	0	0	0	0	0	0
Roaster Pigs	Kidney	112	0	0	98	0	0	0	0	14	0	0	0
Bisons	Kidney	40	0	0	40	0	0	0	0	0	0	0	0
Young Chickens	Kidney	506	0	0	505	0	0	0	0	1	0	0	0
Mature Chickens	Kidney	227	0	0	227	0	0	0	0	0	0	0	0
Young Turkeys	Kidney	477	0	0	476	0	0	0	0	1	0	0	0
Mature Turkeys	Kidney	197	0	0	194	0	0	0	0	3	0	0	0
Ducks	Kidney	238	0	0	238	0	0	0	0	0	0	0	0
Squabs	Kidney	27	0	0	27	0	0	0	0	0	0	0	0
Ratites	Kidney	91	0	0	91	0	0	0	0	0	0	0	0
Rabbits	Kidney	189	0	0	189	0	0	0	0	0	0	0	0

Table AIII-45
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Arsenic

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Beef Cows	Liver	308	0	0	308	0	0	0	0	0	0	0	0
Goats	Liver	265	1	0	264	0	0	1	0	0	0	0	0
Market Hogs	Liver	321	0	0	321	0	0	0	0	0	0	0	0
Boars/Stags	Liver	53	0	0	53	0	0	0	0	0	0	0	0
Sows	Liver	232	0	0	230	0	0	0	1	1	0	0	0
Roaster Pigs	Liver	95	0	0	94	0	0	1	0	0	0	0	0
Young Chickens	Liver	1207	3	1	554	0	6	154	230	232	29	2	0
Mature Chickens	Liver	224	0	0	209	0	0	0	6	7	2	0	0
Young Turkeys	Liver	483	0	0	461	0	0	9	7	5	1	0	0
Mature Turkeys	Liver	77	0	0	76	0	0	0	1	0	0	0	0
Ducks	Liver	259	2	0	257	0	0	0	2	0	0	0	0

Table AIII-46
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Ractopamine

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Steers	Liver	125	0	0	125	0	0	0	0	0	0	0	0
Market Hogs	Liver	294	0	0	294	0	0	0	0	0	0	0	0

Table AIII-47
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Melengesterol Acetate

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Heifers	Fat	240	0	0	239	1	0	0	0	0	0	0	0

Table AIII-48
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Chloramphenicol

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Dairy Cows	Muscle	307	0	0	307	0	0	0	0	0	0	0	0
Formula-fed Veal	Muscle	323	0	0	323	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Muscle	108	0	0	108	0	0	0	0	0	0	0	0

Table AIII-49
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Diethylstilbestrol (DES)

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Formula-fed Veal	Liver	8	0	0	8	0	0	0	0	0	0	0	0

Table AIII-50
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Zeranol

					---------- Amount Found In Sample (ppb) ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Formula-fed Veal	Liver	6	2	0	6	0	0	0	0	0	2	0	0

Table AIII-51
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfaethoxypyridazine

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	308	0	0	308	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	0	0	281	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	316	0	0	316	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-52
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfachlorpyridazine

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	308	0	0	308	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	0	0	281	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	316	0	0	316	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-53
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfadimethoxine

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	1	313	1	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	308	1	0	307	0	1	0	0	0	0	0	0
Bob Veal	Liver	281	2	0	279	0	0	1	0	0	1	0	0
Formula-fed Veal	Liver	316	2	0	314	0	1	1	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	113	1	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	1	0	351	1	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	1	0	256	0	0	1	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-54
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfamethazine

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	308	0	0	308	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	0	0	281	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	316	1	0	315	0	1	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	1	0	136	0	0	0	0	0	0	0	1
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	2	1	463	2	2	0	0	0	0	0	0
Boars/Stags	Liver	161	1	0	160	0	1	0	0	0	0	0	0
Sows	Liver	457	0	0	456	1	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	2	0	119	0	1	1	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-55
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfachloropyrazine

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	308	0	0	308	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	0	0	281	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	316	0	0	316	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-56
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfamethoxypyridazine

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	308	0	0	308	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	0	0	281	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	316	0	0	316	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-57
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfamerazine

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	308	0	0	308	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	0	0	281	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	316	0	0	316	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-58
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfathiazole

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	308	0	0	308	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	1	0	280	0	1	0	0	0	0	0	0
Formula-fed Veal	Liver	316	0	0	316	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-59
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfaquinoxaline

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	308	0	0	308	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	0	0	281	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	316	0	0	316	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-60
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfabromomethazine

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	308	0	0	308	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	0	0	281	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	316	0	0	316	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-61
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfamethiazole

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	308	0	0	308	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	0	0	281	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	316	0	0	316	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-62
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfanilamide

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	307	0	0	307	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	0	0	281	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	316	0	0	316	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-63
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfapyridine

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	307	0	0	307	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	0	0	281	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	316	0	0	316	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-64
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfadiazine

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	307	0	0	307	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	0	0	281	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	316	0	0	316	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-65
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfadoxine

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	307	0	0	307	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	0	0	281	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	316	0	0	316	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-66
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Sulfamethoxazole

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	191	0	0	191	0	0	0	0	0	0	0	0
Bulls	Liver	314	0	0	314	0	0	0	0	0	0	0	0
Steers	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Beef Cows	Liver	300	0	0	300	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	307	0	0	307	0	0	0	0	0	0	0	0
Bob Veal	Liver	281	0	0	281	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	316	0	0	316	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Liver	137	0	0	137	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Lambs	Liver	352	0	0	352	0	0	0	0	0	0	0	0
Goats	Liver	206	0	0	206	0	0	0	0	0	0	0	0
Market Hogs	Liver	467	0	0	467	0	0	0	0	0	0	0	0
Boars/Stags	Liver	161	0	0	161	0	0	0	0	0	0	0	0
Sows	Liver	457	0	0	457	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	121	0	0	121	0	0	0	0	0	0	0	0
Young Chickens	Liver	296	0	0	296	0	0	0	0	0	0	0	0
Mature Chickens	Liver	292	0	0	292	0	0	0	0	0	0	0	0
Young Turkeys	Liver	318	0	0	318	0	0	0	0	0	0	0	0
Mature Turkeys	Liver	257	0	0	257	0	0	0	0	0	0	0	0
Ducks	Liver	243	0	0	243	0	0	0	0	0	0	0	0
Squabs	Liver	31	0	0	31	0	0	0	0	0	0	0	0
Ratites	Liver	79	0	0	79	0	0	0	0	0	0	0	0

Table AIII-67
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Phenylbutazone

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Fat	236	0	0		0	0	0	0	0	0	0	0
Bulls	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Steers	Fat	479	0	0	479	0	0	0	0	0	0	0	0
Beef Cows	Fat	455	0	0	455	0	0	0	0	0	0	0	0
Heifers	Fat	487	0	0	487	0	0	0	0	0	0	0	0
Dairy Cows	Fat	452	0	0	452	0	0	0	0	0	0	0	0
Bob Veal	Fat	263	0	0	263	0	0	0	0	0	0	0	0
Formula-fed Veal	Fat	324	0	0	324	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Fat	114	0	0	114	0	0	0	0	0	0	0	0
Heavy Calves	Fat	187	0	0	187	0	0	0	0	0	0	0	0
Mature Sheep	Fat	241	0	0	241	0	0	0	0	0	0	0	0
Lambs	Fat	340	0	0	340	0	0	0	0	0	0	0	0
Goats	Fat	292	0	0	292	0	0	0	0	0	0	0	0
Market Hogs	Fat	436	0	0	436	0	0	0	0	0	0	0	0
Boars/Stags	Fat	218	0	0	218	0	0	0	0	0	0	0	0
Sows	Fat	282	0	0	282	0	0	0	0	0	0	0	0
Bisons	Fat	45	0	0	45	0	0	0	0	0	0	0	0
Young Chickens	Fat	423	0	0	423	0	0	0	0	0	0	0	0
Mature Chickens	Fat	297	0	0	297	0	0	0	0	0	0	0	0
Young Turkeys	Fat	471	0	0	471	0	0	0	0	0	0	0	0
Mature Turkeys	Fat	197	0	0	197	0	0	0	0	0	0	0	0
Ducks	Fat	251	0	0	251	0	0	0	0	0	0	0	0
Squabs	Fat	33	0	0	33	0	0	0	0	0	0	0	0
Ratites	Fat	90	0	0	90	0	0	0	0	0	0	0	0
Rabbits	Fat	70	0	0	70	0	0	0	0	0	0	0	0

Table AIII-68
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Ivermectin

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	406	3	0	403	0	0	0	0	0	0	0	3
Bulls	Liver	323	2	0	315	0	0	0	0	0	0	0	8
Steers	Liver	482	0	0	482	0	0	0	0	0	0	0	0
Beef Cows	Liver	307	0	0	306	0	0	0	0	0	0	0	1
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	305	0	0	303	0	0	0	0	0	0	0	2
Bob Veal	Liver	214	0	0	214	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	238	0	0	233	0	0	0	0	0	0	0	5
Non-formula-fed Veal	Liver	120	0	0	119	0	0	0	0	0	0	0	1
Heavy Calves	Liver	157	0	0	157	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Mature Sheep	Liver	66	0	0	66	0	0	0	0	0	0	0	0
Lambs	Liver	357	0	0	357	0	0	0	0	0	0	0	0
Goats	Liver	272	1	0	271	0	0	0	0	0	0	0	1
Market Hogs	Liver	321	0	0	321	0	0	0	0	0	0	0	0
Boars/Stags	Liver	53	0	0	53	0	0	0	0	0	0	0	0
Sows	Liver	232	0	0	232	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	94	0	0	94	0	0	0	0	0	0	0	0
Ratites	Liver	82	0	0	82	0	0	0	0	0	0	0	0
Rabbits	Liver	142	0	0	142	0	0	0	0	0	0	0	0

Table AIII-69
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Doramectin

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	406	0	0	406	0	0	0	0	0	0	0	0
Bulls	Liver	323	0	1	321	0	0	0	0	0	0	0	2
Steers	Liver	482	0	0	482	0	0	0	0	0	0	0	0
Beef Cows	Liver	307	0	0	304	0	0	0	0	0	0	0	3
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	305	0	0	305	0	0	0	0	0	0	0	0
Bob Veal	Liver	214	0	0	214	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	238	0	0	237	0	0	0	0	0	0	0	1
Non-formula-fed Veal	Liver	120	0	0	120	0	0	0	0	0	0	0	0
Heavy Calves	Liver	157	0	0	157	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Mature Sheep	Liver	66	0	0	66	0	0	0	0	0	0	0	0
Lambs	Liver	357	0	0	357	0	0	0	0	0	0	0	0
Goats	Liver	272	0	0	272	0	0	0	0	0	0	0	0
Market Hogs	Liver	321	0	0	321	0	0	0	0	0	0	0	0
Boars/Stags	Liver	53	0	0	53	0	0	0	0	0	0	0	0
Sows	Liver	232	0	0	232	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	94	0	0	94	0	0	0	0	0	0	0	0
Ratites	Liver	82	0	0	82	0	0	0	0	0	0	0	0
Rabbits	Liver	142	0	0	142	0	0	0	0	0	0	0	0

Table AIII-70
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Moxidectin

					---------- Amount Found In Sample ----------								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Horses	Liver	406	2	0	404	0	0	0	0	0	0	0	2
Bulls	Liver	323	0	0	320	0	0	0	0	0	0	0	2
Steers	Liver	482	0	0	482	0	0	0	0	0	0	0	0
Beef Cows	Liver	307	0	0	307	0	0	0	0	0	0	0	0
Heifers	Liver	322	0	0	322	0	0	0	0	0	0	0	0
Dairy Cows	Liver	305	0	0	305	0	0	0	0	0	0	0	0
Bob Veal	Liver	214	0	0	214	0	0	0	0	0	0	0	0
Formula-fed Veal	Liver	238	0	0	238	0	0	0	0	0	0	0	0
Non-formula-fed Veal	Liver	120	0	0	120	0	0	0	0	0	0	0	0
Heavy Calves	Liver	157	0	0	157	0	0	0	0	0	0	0	0
Bisons	Liver	34	0	0	34	0	0	0	0	0	0	0	0
Mature Sheep	Liver	66	0	0	66	0	0	0	0	0	0	0	0
Lambs	Liver	357	0	0	357	0	0	0	0	0	0	0	0
Goats	Liver	272	2	0	270	0	0	0	0	0	0	0	2
Market Hogs	Liver	321	0	0	321	0	0	0	0	0	0	0	0
Boars/Stags	Liver	53	0	0	53	0	0	0	0	0	0	0	0
Sows	Liver	232	0	0	232	0	0	0	0	0	0	0	0
Roaster Pigs	Liver	94	0	0	94	0	0	0	0	0	0	0	0
Ratites	Liver	82	0	0	82	0	0	0	0	0	0	0	0
Rabbits	Liver	142	0	0	142	0	0	0	0	0	0	0	0

Table AIII-71
Summary of Residue Analysis
2001 Domestic Monitoring Plan and Special Projects

Residue: Carbadox

					Amount Found In Sample								
Production Class	**Tissue**	**Number Samples**	**Viol-ations**	**Warn-ings**	**None**	**.01-.10**	**.11-.20**	**.21-.30**	**.31-.50**	**.51-1.00**	**1.01-2.50**	**2.51-5.00**	**Over 5.00**
Roaster Pigs	Liver	33	0	0	33	0	0	0	0	0	0	0	0