

United States Department of Agriculture

Food Safety and Inspection Service

Office of Field
Operations
Denver District Office

December 14, 2022

1 Denver Federal Center, Bldg. 45 P.O. Box 25387 SENT VIA FEDEX & ELECTRONIC EMAIL

Denver, CO 80225

Voice (303)236-9800 Fax (303)236-9794 Mr. Jim Wieringa, Plant Manager Island Grown Farmers Cooperative, Est. M21700 11719 Westar Ln. Burlington, WA 98233 igfc@igfcmeats.com

NOTICE OF SUSPENSION HELD IN ABEYANCE (NOSHA)

Dear Mr. Wieringa,

On December 7, 2022, the Food Safety and Inspection Service (FSIS) issued your establishment, Island Grown Farmers Cooperative, M21700, a Notice of Suspension (NOS). The decision to issue the NOS was made in accordance with 21 U.S.C. 603(b) and Title 9 Code of Federal Regulations (CFR) Part 500.3(b), based on your establishment's failure to comply with 9 CFR 313.16 regulations. A Noncompliance Record (NR), written by the FSIS Consumer Safety Inspector (CSI), documented an egregious event whereby an establishment employee needed four stunning attempts with a firearm to render a bovine unconscious inside a livestock trailer.

On December 13, 2022, the Denver District Office (DDO) received your initial response to the NOS and corrective actions via electronic mail. The DDO requested clarification on a few items in your response, via email, on December 13,2022. These items included clarification on restraint and monitoring. The DDO received and reviewed your additional response on December 14, 2022, and based upon your proposed corrective actions FSIS will hold the suspension of inspectors at your establishment in abeyance. Deputy District Manager (DDM) Dr. Jessica VanHook provided you verbal notification of the abeyance of the suspension at approximately 4:00 PM Mountain Standard Time on December 14, 2022.

The suspension will remain in abeyance pending verification by FSIS inspection personnel. During this abeyance period, FSIS will continue to verify, assess, and evaluate the effectiveness of your proffered corrective actions to ensure that these are adequately implemented, and confirm that livestock are properly handled and slaughtered humanely.

FSIS will design a verification plan to confirm that your establishment is implementing the corrective actions you provided in your response to the NOS. The

verification plan identifies your corrective action plan, the relevant regulations and the frequency FSIS inspection personnel will verify the implementation and effectiveness of your proffered actions.

FSIS will provide you a copy of the verification plan. Please be advised that only FSIS can amend the verification plan. If your establishment wishes to modify your proposed corrective actions during the abeyance period, please submit these changes, in writing, to FSIS for approval prior to making any changes in your actions.

FSIS reminds you that as an operator of a federally inspected facility, you are expected to comply with the *Federal Meat Inspection Act* (FMIA), the *Humane Methods of Slaughter Act* (HMSA) and the regulations in 9 CFR 313 to ensure livestock at your establishment are handled and slaughtered humanely. The regulations require establishments to take appropriate action(s) when either the establishment or FSIS determines that the establishment's system controls for humane handling requirements are ineffective. FSIS has the responsibility to initiate action if your establishment fails to operate in accordance with FSIS regulations.

Please be aware that your failure to comply with the regulatory requirements or effectively implement the commitments you proffered in your responses may lead to further administrative enforcement actions.

If you have any questions regarding this matter, you may contact the Denver District Office at (303) 236-9800.

Sincerely, **JESSICA**

VANHOOK

Digitally signed by JESSICA VANHOOK Date: 2022.12.14 15:58:58

for

Dr. Robert Reeder
District Manager
USDA FSIS OFO
Denver District Office

Robert.Reeder@usda.gov


cc: FO/QER

Est. File

D. James, DDM

J. Monteverde, DDM

J. VanHook, DDM



S. Baucher, RD/OIEA